GOVERNMENT OF WEST BENGAL
DEPARTMENT OF HEALTH & FAMILY WELFARE
DIRECTORATE OF DRUGS CONTROL
142, A.J.C. Bose Road (4th to 9th Floor), KOLKATA- 700014

DIRECTORATE OF DRUGS CONTROL * WEST BENGAL *

DCWB/Bulletin/116/715

Dated: 29-10-2026

DETAILS OF DRUGS DECLARED AS NOT OF STANDARD QUALITY/MISBRANDED/SPURIOUS

Particulars of the samples for the month of September 2026 declared as Not of Standard Quality on test/analysis by the Government Analyst are given below for ensuring that the stocks of these drugs are not consumed anymore and appropriate safe guard to the consumers is provided by withdrawing the available stock and take action as per provisions of Drugs & Cosmetics Act 1940 & Rules made there under.

SL. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	Category of Test Report
1	Salicylic Acid & Benzoic Acid Antiseptic Powder (MYCODERM), 150 g Batch No : 4226D025	04/26	09/28	M/s Khushboo Beauty Care, Survey No. 69/4/2, Village Athal, Silvassa-396230, Dadra And Nagar Haveli	CDSCO, West Zone, Mumbai, &CDTL, Mumbai	The sample received does not conform to Manufacturer's specification with respect to the test for "Microbial test, a. Total Aerobic Microbial Count (TAMC), b. Total Combined Yeasts and Moulds Count (TYMC)."	NSQ
2	Itraconazole Capsules IP (Sysflu-IT) Batch No.: AC-662H.	Nov. 2025	Oct. 2027	M/s Azot Life Sciences, Vill. Chewa, P.O. Kumarhatti, Distt. Solan-173229 (H.P.)	CDSCO, Zonal Office, Hyderabad, &CDL, Kolkata	The sample does not conform to I.P. with respect to test for "Dissolution".	NSQ
3	Rabeprazole Sodium Gastro Resistant and Domperidone Prolonged Release Capsules (Rabicord DSR) Batch No – 2604209	Apr-2026	Mar-2028	M/s Sai Sarvaa Biotech Pvt. Ltd., Plot No. 8 & 9, Balaji Nagar, Pattanur, Auroville (Po), Vanur (TK), Villupuram (Dt.) Pin-605 101.	CDSCO, Zonal Office, Hyderabad, &CDL, Kolkata	The sample does not conform to claim as per Patent and Proprietary (RDTL/MS/4661) in respect to the Test of Dissolution of Domperidone (12th hours), Dissolution of Rabeprazole Sodium(buffer stage)	NSQ

29/10/2026

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)

SL. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	Category of Test Report
4	HYDRASKIN ACTIVE BOTANICAL FACIAL SERUM Batch No – Not Mentioned	16-Feb-2026	NM	M/s PERK LABS CO., 18 JALAN ANGGERIK MOKARA 31/53, KOTA KEMUNING, 40460 SHAH ALLAM, SELANGOR, MALAYSIA	CDSCO, IGI Airport, Air Cargo Complex,New Delhi&RDTL, Chandigarh	The sample does not conform to claim as per Patent and Proprietary and IP 2022 in respect of est performed (Identification: - Positive for Remdesivir Impurity A).	NSQ
5	Levocetirizine Hydrochloride and Montelukast Tablets (Polergy-ML), B.No. 41046	Nov-2025,	Oct-2027	M/s. Ronak Life Care Pvt. Ltd., R.S. No. 41 (Part), At & Post Rajpur, Dist Patan - 384265,	F&DA, Mizoram & RDTL, Guwahati	The sample does not comply as per I.P. 2022 with respect to the test for "Dissolution" of Montelukast.	NSQ
6	Pantadys- 40 (Pantoprazole Gastro- Resistant Tablets IP 40 mg); B.No. CIT-8736	12/2025	11/2027	M/s. Conscaff India, Nahan Road, Kala –Amb, Distt.Sirmour (H.P)-173030;	DCA Andhra Pradesh&Govt Analyst. DCL, Vijayawada	"The Sample failed in Dissolution Test for Pantoprazole Tablets as per I.P."	NSQ
7	"Ibuprofen & Paracetamol Tablets IP" (Konflame) B.No . KFM-2502	09/2025	08/2028	M/s. Askon Health Care, 11-B, Industrial Area, Maxi Road, Ujjain - 456010 (M.P.)	DDC,Tripura&Govt Analyst. SDTL, Agartala,	The sample does not conform to Standard Quality in respect of the test for "Description " performed..	NSQ
8	Enteric Coated Rabeprazole Sodium & Domperidone Sustained-release Capsules (Rabbey-DSR CAPSULES) B/No.- PC-40473	OCT. 2024	SEP. 2026,	Pharmaroots Healthcare, Khasra No.-411, Village Tipra, PO-Barotiwala, Tehsil Baddi, Distt.Solan (H.P)	DDC,Odisha& SDT & RL, Bhubaneshwar	The sample does not conform to claim in respect of "Content for Rabeprazole Sodium"&"Dissolution for Rabeprazole sodium & Domperidone".	NSQ

DIRECTORATE OF DRUGS CONTROL * WEST BENGAL *

29/10/2026

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)

SL. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	Category of Test Report
9	Paracetamol Tablets IP 500 mg (PARASEV -500) B.No. CHPLT018	08/ 2024	07/ 2026	M/s Cureza Healthcare Pvt. Ltd., 63/1, 67/1, Village-Solsinda, Tehsil-Sanwer, Ujjain Road, Indore (M.P.) 453351.	F&DA, Madhya Pradesh, & Govt. Analyst. Maharastra	THE SAMPLE DOES NOT COMPLY WITH I.P. REQIREMENTS FOR "DISSOLUTION TEST."	NSQ
10	PARASEV -650 Tablet (Paracetamol Tablet 650 mg), B.No. CHPLT550,	12/ 2024,	11/ 2026	M/s Cureza Healthcare Pvt. Ltd., 63/1, 67/1, Village-Solsinda, Tehsil-Sanwer, Ujjain Road, Indore (M.P.) 453351.	F&DA, Madhya Pradesh, & Govt. Analyst. Maharastra	THE SAMPLE DOES NOT COMPLY WITH I.P. REQIREMENTS FOR "DISSOLUTION TEST."	NSQ
11	Vidagliptin Tablets I.P. 50 mg Batch No.: VFGT1214	03/ 2025	02/ 2027	M/s Unicure India Ltd, C-21, 22 & 23 Sector-3, Noida-201301, Distt. Gautam Budh Nagar (U.P)	CDSCO, Sub Zone, GUWAHATI &CDTL, Indore	The sample does not conform to I.P with respect to 'Assay' of Vildagliptin..	NSQ
12	Dexamethasone Sodum Phosphate Injection IP (Nil) Batch No.- CHI-60004	Jan-2026	Dec-2027	Cotec Healthcare Ltd., Kh. No. 593/1, RoorkeeDehradun Highway, Kishanpur, Roorkee-247667 (Uttarakhand) India.	CDSCO, South Zone, &CDL, Kolkata	The sample does not conform to IP with respect to the tests for 'Particulate matter' and 'Assay' of 'Dexamethasone Sodium Phosphate eq, to Dexamethasone Phosphate', and is also not of standard quality for the reason stated under 'Description'.	NSQ
13	Rabeprazole Sodium Tablats IP 20 mg (Rabium-20) Batch no.- N2600742	Mar. 2026	Feb 2028	M/s INTAS PHARMACEUTICALS LTD, Samardung Road, Kabrey Block, Namthang Elaka, South Sikkim-737132 INDIA	CDSCO, Zonal Office, Ahmedabad&RDTL, Chandigarh	The sample does not conform to claim as per IP 2022 and Addendum 2024 in respect to the Test of Dissolution (Buffer Stage).	NSQ

DIRECTORATE OF DRUGS CONTROL WEST BENGAL

29/10/2026

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)

SL. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	SL. No.
14	ROLLED BANDAGE Batch No.: AE-RB6-10-2K25-03	1-Mar 2025	29 -Feb 2028	ARUNACHALA ENTERPRISES, no. 23-4B/278 To 285, Vasavi Pharma Market Complex 4th Floor, Opp Ayyappa Swamy Temple, Gollapudi, Vijayawada 521225, AP	CDSCO, Sub Zone, Ahmedabad& CDL, Kolkata	The sample does not conform to Schedule F(II) with respect to length.	NSQ
15	Losartan Potassium USP Batch No.- LOP011052611	May. 2026	Apr. 2031	M/s.Synergene Active Ingredients Pvt. Ltd., Unit-II,, Plot No.59D, JNPC, Parawada (V), Parawada (M), Anakapalli531021, A. P. India.	CDSCO, Sub Zone, Andhra Pradesh &CDTL, Indore	The sample does not conform to USP with respect to the test for Water.	NSQ
16	Prednisolone Tablets IP (Predni-10) Batch No.- PRD2516	Dec-2025	Nov-2027	M/s. Concord Drugs Limited, Survey No.: 249, Brahmanapally, R.R. Dist., Telangana-501511	CDSCO, Sub Zone, Andhra Pradesh &RDTL, Guwahati	The sample is not of standard quality for the reason stated under "Description" of the tablets.	NSQ
17	Peritoneal Dialysis Solution with 2.5% Dextrose-IP (Dianeal PD-2) Batch No.- A25D043	07/04 /2025	06/04/ 2027	Baxter Manufacturing (Thailand) Co. Ltd. 7/398, MOO 6 Mabyangporn, Pluakdaæng , Rayong, Thailand 21140.	DCA, Himachal Pradesh& Govt Analyst. DTL, Baddi	The sample does not conforms to claim as per IP 2022 in respect to the Description, Appearance of Solution, Particulate Matter and Bacterial Endotoxins. Note.- The concentrations of the ingredients stated on the label of the sample are not in accordance with the requirements of Indian Pharmacopoeia (I.P.).	NSQ

DIRECTORATE OF DRUGS CONTROL WEST BENGAL

29/10/2025

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)

Sl. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	Sl. No.
18	Peritoneal Dialysis Solution with1.5% Dextrose IP(Dianeal PD-2) Batch No.:- A25E044	07/05 /2025	06/05/ 2027	Baxter Manufacturing (Thailand) Co. Ltd. 7/398, MOO 6 Mabyangporn, Pluakdaæng, Rayong, Thailand 21140.	DCA, Himachal Pradesh& Govt Analyst. DTL, Baddi	The sample does not conform to claim as per IP 2022 in respect to the Test of Bacterial Endotoxin. Note.- The concentrations of the ingredients stated on the label of the sample are not in accordance with the requirements of Indian Pharmacopoeia (I.P.).	NSQ
19	(Pregalife-75 SR) Pregabalin Sustained Release Tablets B.NO: VGT261113	MAR. 2026	FEB. 2028	M/s. Vrindavan Global (A WHO-GMP Certified Co.) Plot No. 23-B & C, Ind. Area, Lodhimajra, Baddi, Distt. Solan (H.P) - 173 205	DCA,Andhra Pradesh&Govt Analyst. SDTL, Vijayawada	"The Sample failed in Assay (i.e. Label Claim) of Pregabalin as mentioned under Standards for Patent and Proprietary Medicines in Schedule-V of Drugs and Cosmetics Act, 1940 and Rules there under.	NSQ
20	CEFIXIME TABLETS IP Batch No. 25460922	05/ 2025	04/ 2027	M/s ALKEM HEALTH SCIENCE, A UNIT OF ALKEM LABORATORIES LIMITED, UNIT-3, SAMARDUNG, KAREK BLOCK, P.O.: NAMTHANG, DISTRICTNAMCHI, SIKKIM-737137	DHS, Assam& SDTL, Guwahati	The sample does not conform to I.P. with respect to the above tests only.	NSQ
21	Cefpodoxime Proxetil Dispersible Tablets (Cefzen O) B.No. CT25005B,	Jan-2025	Dec-2026	Alps Communication Pvt. Ltd., Village - Johron, Trilokpur Road, Kala Amb, Distt. Sirmour - 173 030, (H. P.) INDIA.	FDA Mizoram &RDTL, Guwahati	The sample is not of standard quality for the reason stated under "Description" of the tablets..	NSQ
22	Ramipril Tablets I.P. 5 mg. (TOWAPRIL-5) B.No. 3892502	12/ 2025	11/ 2027	M/s. Towa Pharma Private Limited (A WHO-GMP Certified Company), Jaliyanamath Village, Survey No.-17, Dehgam Rakhiyal Road. Ta: Dehgam, Dist.: Gandhinagar-382305, Gujarat, (INDIA).	CDSCO, East Zone, &CDL, Kolkata	The sample does not conform to I.P. with respect to the Assay of Ramipril.	NSQ

DIRECTORATE OF DRUGS CONTROL ★WEST BENGAL★

29/10/2026

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)

SL. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	SL. No.
23	"Multi-OD Softgel capsules (Mecobalamin, Alpha Lipoic Acid, Pyridoxine HCl And Folic Acid Softgel Capsules); B.No. US-25119D;	05/ 2025	04/ 2027	M/s Ultra Drugs Pvt Ltd (Unit-II), HS No 211, K.H.No. 77/1, 78/1, Vill - Katha, Baddi, Dist.- Solan (H.P.) - 173205 (A GMP, ISO 9001 : 2015 Certified Co.)	DCA Andhra Pradesh&Govt Analyst. SDTL, Vijayada	The sample failed in Identification Test and Assays (i.e. Label Claim) and also in Assay (i.e. Label Claim) of Alpha Lipoic Acid as mentioned under Standards for Patent and Proprietary Medicines in Schedule -V. of Drugs and Cosmetics Act 1940 and Rules there under.	NSQ
24	MELOGAIN P Injection Vet B. No:GHL-1093	01/ 2026	12/ 2027	M/s Greycross Healthcare Vill. Jolan Kalan, Tehsil-Derabassi, Distt. SAS Nagar (PB).	DCA Andhra Pradesh&Govt Analyst. RDTL, Andhra Pradesh	"The Sample does not comply with the Test for Assay of Meloxicam and Paracetamol as per the STP".	NSQ
25	Promethazine Injection I.P B.No. HLI992M	Dec-2025	Nov-2027	M/S Himalaya Meditek Pvt. Ltd., Plot No.: 35 & 36, Pharmacity Selaqui Industrial Area, Dehradun-248 197	DDC Bihar & CDL Kolkata.	The sample does not conform to LP. with respect to the Tests of pH and Assay.	NSQ
26	Haemostatic Tablets (Clot NF) B.No. ST26052	Feb-2026	Jan-2028	M/s SHRINIVAS (GUJARAT) LABORATORIES PVT. LTD, Veena Vatika, Baddi-Nalagarh Highway, Bagbania, Manpura, Distt.Solan-1 741 01 . (H.P.)	DDC Bihar & CDL Kolkata.	The sample does not conform to Manufacturer's Specification with respect to Description test.	NSQ
27	Multi-Vitamin Tablets (VITAJACK-S) B.No - T-9108	Mar-2026	Feb-2028	Jackson Laboratories pvtltd; 22-24, Majitha Road, Bye Pass, Amrits ar-1 43 001 (India)	DDC Bihar & CDL Kolkata.	The sample does not conform to manufacturer's specification with respect to the test for Microbial Limit Test with regards to'Total aerobic viable count'	NSQ

DIRECTORATE OF DRUGS CONTROL ★ WEST BENGAL ★

29/10/2026

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)

SL. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	Category of Test Report
28	Amoxycillin & Potassium Clavulanate Injection IP 1200 mg Batch No. D0092509A	Feb-2025	Jan-2027	Protech Telelinks, Mouza Ogli, Suketi Road, Kala Amb, Distt. Sirmour-1 73030 (H.P.)	DDC Bihar & CDL Kolkata..	The sample does not conform to IP with respect to the Assay of Clavulanic Acid.	NSQ
29	Ascorcan 500 Tablets (Vitamin C Tablets IP 500 mg - Chewable), Batch no: T-250530	SEP-2025,	Aug-2027	DAFFOHILS LABORATORIES PVT. LTD., F-109-110, UPSIDC Industrial Area, Selaqui, Dehradun, U.K. – 248011 (India)	DDC , Tripura&Govt Analyst. SDTL, Tripura	The sample does not conform to IP in respect of the test for "Dissolution" .	NSQ
30	Telmisev - 40 (Telmisartan Tablets IP 40 mg), Batch no: CHPLT1346,	02/2026	01/2028,	CUREZA HEALTHCARE PVT. LTD.. 63/1, 67/1, Dharampuri, Solsindha, Ujjain Road, Indore, Madhya Pradesh - 453551,	DDC, Tripura&Govt Analyst. SDTL, Tripura	The sample does not conform to IP in respect of the test for "Dissolution & Assay".	NSQ
31	Konflame (Ibuprofen &Paracetamol Tablets IP)", Batch no - KFM-2501,	03/2025	02/2028	Askon Health Care, 11-B, Industrial Area, Maxi Road, Ujjain - 456010 (M.P.)	DDC, Tripura&Govt Analyst. SDTL, Tripura	The sample does not conform to IP in respect of the test for "Dissolution & Description".	NSQ
32	IBUKON 400 (Ibuprofen Tablets IP 400 mg), Batch no: IBK-2601	02/2026	01/2029	Askon Health Care, 11-B, Industrial Area, Maxi Road, Ujjain - 456010 (M.P.),	DDC, Tripura&Govt Analyst. SDTL, Tripura	The sample does not conform to IP in respect of the test for "Dissolution".	NSQ
33	ALPRAZOLAM TABLETS IP (ALPRAZO 0.5), B.No. -NOT MENTIONED	Not mentioned	Not mentioned	Euphoria India Pharmaceuticals Plot No. 145 HPSIDC Ind. Area Baddi Distt. Solan H.P. 173205	FDA Madhya Pradesh Govt. Analyst. DTL, Bhopal.	The sample fails to comply in respect of labelling (batch no., mfg. date & exp. date are not printed on blister strip).	NSQ
34	Lactulose Solution IP 10 gm/15ml B.No: GL500942A	Mar-2026	Feb-2028	Gnosis Pharmaceuticals Pvt. Ltd., Nahan Road, Village Moginand, Kala-Amb Distt. Sirmour, H.P-173030	DDC, Odisha& CDL Kolkata	The sample does not conform to I.P. Addendum 2024 with respect to the tests of Description and Assay of Lactulose.	NSQ

DIRECTORATE OF DRUGS CONTROL * WEST BENGAL *

29/10/2024

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)

SL. No.	Name of the Product & Batch No.	Mfg. Date	Exp. Date	Manufactured by	Drawn by & Tested by	Reason for failure	SL. No.
35	Lactulose Solution IP 10 gm/15ml B.No.- GL500941A	Mar-2026	Feb-2028	Gnosis Pharmaceuticals Pvt. Ltd., Nahan Road, Village Moginand, Kala-Amb Distt. Sirmour, H.P-173030	DDC, Odisha& CDL Kolkata	The sample does not conform to I.P. Addendum 2024 with respect to the tests of Description and Assay of Lactulose.	NSQ
36	RABEFORCE 20 (Rabeprazole Gastro Resistant Tablets IP 20mg), B.NO: GFTB25844,	09/ 2025	08/ 2027	M/s Genip Formulation Pvt Ltd, Khasra no: 93/45/1, Dharanji urf Dhopton Shamti,Dist Solon HP 173212	DCA Andhra Pradesh &Govt Analyst. DCL, Vijayawada	"The Sample failed in Dissolution Test and Assay for Rabeprazole Tablets as per. I.P."	NSQ
37	Diclofenac Potassium & Serratio Peptidase Tablets (Wyser - K) B.NO: 25010040	10/ 2025	09/ 2027	M/s Aban Pharmaceuticals, Plot No.- 1018, Kerala, G.I.D.C., Bavla, Dist.- Ahmedabad - 382220	DCA Andhra Pradesh &Govt Analyst. DCL, Vijayawada	The sample failed to confirm to the standards of Disintegration Test mentioned under General Requirements of I.P. as per Standards for Patent and Proprietary Medicines in Schedule - V of Drugs and Cosmetics Act 1940, and Rules there under.	NSQ
38	LV - Prime LS Respules B.NO: AFR25242	11/ 2025	10/ 2027	M/s Aarmed Formulations, Survey No.- 431/2, Plot No.- 1, Steel Town, Moraiya, Tal. Sanand, Distt.- Ahmedabad (Gujarat)	DCA Andhra Pradesh &Govt Analyst. RDTL, Andhra Pradesh	The sample does not conform to Manufacturer's Specifications with respect to the Test for Assay of Levosalbutamol.	NSQ

DIRECTORATE OF DRUGS CONTROL ★WEST BENGAL★

29/10/2025

RATHINDRA NATH RAY
Deputy Director of
Drugs Control
Licensing Authority (H.Q)